

Stacking chair - 4 legged base

Shell: recyclable polypropylene reinforced with fiberglass.

Polypropylene protective cover under the seat

Upholstered options: polypropylene shell with frontal upholstery or seat cushion only (seat height + 2 cm) in fabric, faux-leather or C.O.M.

Frame: steel tube Ø 18 mm in powder coated or chromed finish.

Glides: thermoplastic material



	Article	Finish / Upholstery	Powder coated frame	Chromed frame	Galvanic frame 07, 59, 57	pcs / dimensions volume / gross weight product net weight
Chair						
Polypropylene	S0024 S0024 E	Polypropylene Polypropylene for outdoor use				4 pcs / 58,5X67,5X100 cm 0,39 m3 / 20,8 Kg 4,45 Kg
Polypropylene with frontal upholstery	S0025	Gazebo Xtreme Plus / Magnum / Rivet / Main Line Flax Blazer / Ginkgo / Step Melange / Silvertex / Remix3 Steelcut Trio3 / Atlas / Canvas2 C.O. faux leather / C.O.M. (solid colour)				4 pcs / 58X66,5X103,5 cm 0,40 m3 / 27,5 Kg 6,00 Kg
Polypropylene with seat cushion only	S0026	Gazebo Xtreme Plus / Magnum / Rivet / Main Line Flax Blazer / Ginkgo / Step Melange / Silvertex / Remix3 Steelcut Trio3 / Atlas / Canvas2 C.O. faux leather / C.O.M. (solid colour)				4 pcs / 58X66,5X103,5 cm 0,40 m3 / 27,5 Kg 6,00 Kg

Chair with ganging device included (additional cost)

Polypropylene (art. S0084) - Polypropylene with frontal upholstery (art. S0085) - Polypropylene with seat cushion only (art. S0086)



Accessories

Kart Universal trolley - art. C0514

Fire-retardant version

Fire retardant version

NOTE: fire retardant compounds may cause slightly difference of colours

Customer's own material

For customer's own material, the form at the end of the price list shall apply, to be sent to Segis SpA with the Client's signature.

Solid fabric:
for 1 pc. frontal shell (H. 140 cm ca) 50 cm
for 1 pc seat only (H. 140 cm ca) 30 cm

Fire retardant certifications


Art. S0025-S0026 with Xtreme fabric
The product upholstered meets Class 1IM Standards by the Italian Minister of Interior.

Resistance tests


EN 16139:2013 – general requirements of resistance test
EN1728:2012 – seat and back static load test
EN1728:2012 – seat and back static vertical load test
EN 1728:2012 – seat and back fatigue test
EN 1728:2012 – seat front edge fatigue test
EN 1728:2012 – front legs static load test
EN 1728:2012 – side legs static load test
EN 1728:2012 – seat impact test
EN 1728:2012 – back impact test
EN 1728:2012 – stability test
ANSI-BIFMA 5.1 -2011/6 – back drop test
ANSI-BIFMA 5.1 -2011/8 – seat drop test
ANSI-BIFMA 5.1 -2011/11 – seat durability test
ANSI-BIFMA 5.1 -2011/12 – stability test
ANSI-BIFMA 5.1 -2011/16 – back durability test – non tilting seat
ANSI-BIFMA 5.1 -2011/18 – front legs static load test
ANSI-BIFMA 5.1 -2011/18 – side legs static load test

Finishes

Polypropylene



Metal frame



Dimensions

