

DRAGONFLY

Odo Fioravanti / 2013



1 SEATING

Stacking chair - Sled base

Shell: recyclable polypropylene reinforced with fiberglass. Polypropylene protective cover under the seat

Upholstered options: polypropylene shell with frontal upholstery or seat cushion only (seat height + 2 cm) in fabric, faux-leather or C.O.M.

Frame: steel rod Ø 12 mm in powder coated or chromed finish

Armrests: padded with black polyethylene foam.

Glides: thermoplastic material



	Article	Finish / Upholstery	Powder coated frame	Chromed frame	Galvanic frame 07, 59, 57	pcs / dimensions volume / gross weight product net weight
Chair						
Polypropylene	S0033	Polypropylene				4 pcs / 64,5X57X100 cm 0,37 m ³ / 5,8 Kg 5,7 Kg
Polypropylene with frontal upholstery	S0034	Gazebo Xtreme Plus / Magnum / Rivet / Main Line Flax Blazer / Gingko / Step Melange / Silvertex / Remix3 Steelcut Trio3 / Atlas / Canvas2 C.O. faux leather / C.O.M. (solid colour)				4 pcs / 65,5x56x103 cm 0,38 m ³ / 33 Kg 7,3 kg
Polypropylene with seat cushion only	S0035	Gazebo Xtreme Plus / Magnum / Rivet / Main Line Flax Blazer / Gingko / Step Melange / Silvertex / Remix3 Steelcut Trio3 / Atlas / Canvas2 C.O. faux leather / C.O.M. (solid colour)				4 pcs / 65,5x56x103 cm 0,38 m ³ / 3 Kg 7,3 kg

Chair with ganging device included (additional cost)

Polypropylene (art. S0080) - Polypropylene with frontal upholstery (art. S0081) - Polypropylene with seat cushion only (art. S0082)

Accessories

Kart Universal trolley - art. C0514


Fire-retardant version

Fire retardant version


NOTE: fire retardant compounds may cause slightly difference of colours

Finishes


Polypropylene



Metal frame



Dimensions



Customer's own material

For customer's own material, the form at the end of the price list shall apply, to be sent to Segis SpA with the Client's signature.

Solid fabric:
for 1 pc. frontal shell (H. 140 cm ca) 50 cm
for 1 pc seat only (H. 140 cm ca) 30 cm

Fire retardant certifications

Art. S0034-S0035-with Xtreme fabric
The product meets Class 1 IM Standards by the Italian Minister of Interior.

Resistance tests

Art. S0033
EN 16139:2013 4.1 - General requirements
EN 16139:2013 4.2 - Shear and squeeze points when setting up and folding
EN 16139:2013 4.2.3 - Shear and squeeze point during use
EN 16139:2013 4.3 - Stability
BS EN 1728:2012 6.4 - Seat static load and back static load test
BS EN 1728:2012 6.5 - Seat front edge static load test
BS EN 1728:2012 6.6 - Vertical static load test
BS EN 1728:2012 6.15 - Leg forward static load test
BS EN 1728:2012 6.17 - Combine seat and back durability test
BS EN 1728:2012 6.18 - Seat front edge durability test