

DRAGONFLY

Odo Fioravanti / 2013

segis

1 SEATING

Chair with wooden legs

Shell: recyclable polypropylene reinforced with fiberglass

Upholstered options: polypropylene shell with frontal upholstery or seat cushion only (seat height + 2 cm) in fabric, faux-leather or C.O.M.

Legs: solid beechwood

Seat frame and footrest: in powder coated steel matching shell colour.

Glides: felt or metal



	Article	Finish / Upholstery	Wood legs	pcs / dimensions volume / gross weight product net weight
Chair				
Polypropylene	S0037	Polypropylene		2 pcs / 64,5x48,5x98,5 cm 0,30 m3 / 13,9 Kg 5,3 Kg
Polypropylene with frontal upholstery	S0038	Gazebo Xtreme Plus / Magnum / Rivet / Main Line Flax Blazer / Gingko / Step Melange / Silvertex / Remix3 Steelcut Trio3 / Atlas / Canvas2 C.O. faux leather / C.O.M. (solid colour)		2 pcs / 64,5x48,5x98,5 cm 0,30 m3 / 17,3 Kg 7 Kg
Polypropylene with seat cushion only	S0039	Gazebo Xtreme Plus / Magnum / Rivet / Main Line Flax Blazer / Gingko / Step Melange / Silvertex / Remix3 Steelcut Trio3 / Atlas / Canvas2 C.O. faux leather / C.O.M. (solid colour)		2 pcs / 64,5x48,5x98,5 cm 0,30 m3 / 17,3 Kg 7 Kg

Glides to specify according type of floor material




felt



metal glide

Finishes


Polypropylene



Wood / Beech



Dimensions



Fire-retardant version

Fire retardant version

€ 26,00

NOTE: fire retardant compounds may cause slightly difference of colours

Customer's own material

For customer's own material, the form at the end of the price list shall apply, to be sent to Segis Spa with the Client's signature.

Solid fabric:

for 1 pc. frontal shell (H. 140 cm ca) 50 cm

for 1 pc seat only (H. 140 cm ca) 30 cm

Resistance tests

Art. S0037

EN 16139 :2013 4.1 - General requirements
 EN 16139 :2013 4.2.3 - Shear and squeeze point during use
 EN 16139 :2013 4.3.3 - Non-swiveling chairs
 EN 16139 :2013 4.5 - Safety of the construction
 EN 16139 :2013 5. - Safety, strength and durability requirements
 EN 16139 :2013 6. - Test methods
 BS EN 1728:2012 6.4 - Seat and back static load test
 BS EN 1728:2012 6.5 - Seat front edge static load test
 BS EN 1728:2012 6.6 - Vertical static load on back
 BS EN 1728:2012 6.15 - Leg forward static load test
 BS EN 1728:2012 6.16 - Leg sideways static load test
 BS EN 1728:2012 6.17 - Combine seat and back durability test
 BS EN 1728:2012 6.18 - Seat front edge durability test
 BS EN 1728:2012 6.24 - Seat impact test
 BS EN 1728:2012 6.28 - Backward fall test